



# Biodiversity Observations

<http://bo.adu.org.za>



**An electronic journal published by the Animal Demography Unit at the University of Cape Town**

The scope of Biodiversity Observations consists of papers describing observations about biodiversity in general, including animals, plants, algae and fungi. This includes observations of behaviour, breeding and flowering patterns, distributions and range extensions, foraging, food, movement, measurements, habitat and colouration/plumage variations. Biotic interactions such as pollination, fruit dispersal, herbivory and predation fall within the scope, as well as the use of indigenous and exotic species by humans. Observations of naturalised plants and animals will also be considered. Biodiversity Observations will also publish a variety of other interesting or relevant biodiversity material: reports of projects and conferences, annotated checklists for a site or region, specialist bibliographies, book reviews and any other appropriate material. Further details and guidelines to authors are on this website.

Lead Editor: Arnold van der Westhuizen – Paper Editor: H. Dieter Oschadleus

---

## OYSTERCATCHER (*HAEMATOPUS MOQUINI*) CHICK FATALITY DUE TO DOGS

**Dane M. Paijmans**

Recommended citation format:

**Paijmans DM 2016.** Oystercatcher (*Haematopus moquini*) chick fatality due to dogs. Biodiversity Observations, Vol 7.41:1-3

URL: <http://bo.adu.org.za/content.php?id=234>

Published online: 1 August 2016

## PREDATION

### OYSTERCATCHER (*HAEMATOPUS MOQUINI*) CHICK FATALITY DUE TO DOGS

Dane M. Pajimans\*

DST/NRF Centre of Excellence, Percy FitzPatrick Institute of African Ornithology, University of Cape Town, Rondebosch, 7701, South Africa

\* Corresponding author: d.pajimans@gmail.com

African Black Oystercatcher (*Haematopus moquini*) chick fatalities occur due to a number of different factors. These include wave action, wind-driven sand storms, and predation by birds and wild mammals (Loewenthal 2007). The anthropogenic causes are related to excessive site disturbance which reduces parental foraging ability (Leseberg et al. 2000) and more direct fatalities as a result of unrestrained dogs (*Canis lupus familiaris*) (Loewenthal 2007).

To reduce these anthropogenic effects resulting in chick deaths on Noordhoek Beach (34°07' S, 18°20' E), SANParks proclaimed the site between Klein Slangkopunt and the Kakapo shipwreck a restricted area (Fig. 1). As Noordhoek beach falls within the Table Mountain National Park, noncompliance may be enforced with a fine. This restriction is active over the African Black Oystercatchers breeding season (November-March) and, as it is not fenced off, it allows for visitors to walk within the high tide water mark as this has minimal effect on the breeding pairs (SANParks 2015). As of 2008 an additional permit is also required if you would like to take a restrained dog to this beach (SANParks 2015).


These restrictions have had little effect and until 2013 no record of them being enforced is noted (Mposo 2013). This was seen all too clearly over the 2012/13 breeding season as I monitored the

breeding pairs at this site for the Oystercatcher Conservation Program (OCP). Within a few days of 10 February 2013, one of the pairs I was monitoring re-laid a clutch of two eggs after losing their one-egg clutch earlier that season. As the pairs on this breeding site rarely hatch any chicks (Pajimans 2014) this clutch failure was not a surprise. This is usually a result of regular flooding at spring tide and heavy predation (pers. obs.). Over the next few weeks I returned to the site as part of the study and on 7 March 2013 the two eggs were found to be freshly hatched, the chicks' bills still having 'egg teeth' (Fig. 2).



**Fig 1.** African Black Oystercatcher breeding site at Noordhoek beach. The area outlined in red (up to the shipwreck) is restricted.

Over the following two weeks the site was visited and the chicks were growing and healthy. As they had survived the initial week their



**Fig 2.** a) A clutch of African Black Oystercatcher eggs and, b) the pair of chicks shortly after hatching.

probability of success increased dramatically as they had made it through the most dangerous stage (Loewenthal 2007).

Sadly, however, on returning to the site on the 22 March 2013 I found one of the chicks freshly killed within the parents' territory. The chick was circled by dog tracks and had tears to its abdomen (Fig. 3). Shortly before arriving at the site I had seen two unrestrained dogs chasing various birds at the site. I did not attempt to find the other chick as both parents were very distressed. Once I had visited the rest of the breeding site I returned to attempt to find the remaining chick. There was no sign of the sibling and the deceased chick had been fed on by gulls. Further visits to the site resulted in the same outcome and the sibling was never seen again.

Although this site does not produce a large number of fledglings, it is necessary to enforce these seasonal restrictions to ensure the few breeding pairs present are offered the best chances of success and that avoidable deaths are prevented where possible.

#### **Acknowledgements**

The Oystercatcher Conservation Programme (OCP) is part of the Percy FitzPatrick Institute of African Ornithology and was funded by the National Research Foundation.

#### **References**

**Leseberg A, Hockey PAR, Loewenthal D** 2000. Human disturbance and the chick-rearing ability of African Black Oystercatchers (*Haematopus moquini*) a geographical perspective. *Biological Conservation* 96: 379-385

**Loewenthal D** 2007. The population dynamics and conservation of the African Black Oystercatcher, *Haematopus moquini*. Unpublished PhD Thesis, University of Cape Town, Cape Town.

**Mposo N** 2013. Swoop on dogs, horses on Cape beach. Available at [www.iol.co.za/news/crime-courts/swoop-on-dogs-horses-on-cape-beach-1548421](http://www.iol.co.za/news/crime-courts/swoop-on-dogs-horses-on-cape-beach-1548421) Accessed 01.08.2016).

**Sanparks.** An interactive guide to walking your dog in the park. Available from: [http://www.sanparks.co.za/docs/parks\\_table\\_mountain/tourism/dog-walking.pdf](http://www.sanparks.co.za/docs/parks_table_mountain/tourism/dog-walking.pdf) (Accessed on 21.05.2015).



**Fig 3.** A freshly killed African Black Oystercatcher chick showing wounds on its abdomen.